Lifestyle
Collection

Hardwood flooring engineered for living,
Designed to impress.

Our LIFESTYLE COLLECTION of engineered hardwood flooring is made from Western European Oak, and offers one of our widest colour selections. Unique finishing techniques, colour enhancement processes and hand-crafted smooth, brushed or distressed finishes ensures a floor to suit every room and décor.

SUPERIOR STABILITY & CONSISTENCY

HEVEA BRASILIENSIS (Rubberwood) is a plantation hardwood timber that has similar density to White Oak. It is well-known that Hevea core in 3 layered engineered floors is stronger and more reliable than other species used in the market due to its physical and mechanical strength.

RESPONSIBLY HARVESTED & MANUFACTURED

Our company employs sound environmental care policies by using renewable resources and VOC safe components. We take great pride in being able to offer everyone a totally safe, green product. Our 3 layered engineered flooring composition encompasses the use of legally compliant and renewable timber resources.

WORLD CLASS FINISHING

The strength of our technology and production processes allow us to distribute and install our timber flooring products worldwide with confidence, even in extreme climates. This ensures a look and feel to suit your design preference and needs that will last the lifetime of the floor.

AMALFI 5

AMBOSELI 7

ANDORRA 9

ANGUILLA 11

ANTIBES 13

ASPEN 15

BARBADOS 17

BERMUDA 19

BIARRITZ 21

BORA-BORA 23

CAIRNS 25

CANCUN 27

CAPRI 29

CORSICA 31

COURCHEVEL 33

CYPRUS 35

DAVOS 37

ELOUNDA 39

EPHESUS 41

ETOSHA 43

FIJI 45

FORMENTERA 47

GOA 49

HERINGSDORF 51

JACKSON HOLE 53

KAUAI 55

MAJORCA 57

MARRAKECH 59

MAURITIUS 61

MINORCA 63

MONTANA 65

MOOREA 67

MYRTLE BEACH 69

NAPLES 71

OAHU 73

PAPEETE 75

RHODES 77

RUAHA 79

SANTORINI 81

SARDINIA 83

SEYCHELLES 85

ST LUCIA 87

ST MORITZ 89

TAOS 91

TRAVEMUNDE 93

TSAVO 95

ULUWATU 97

VAIL 99

VALPARAISO 101

VELDEN 103

VENICE 105

WHISTLER 107

WHITSUNDAYS 109

XCARET 111

YOSEMITE 113

ZANZIBAR 115

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty · Artisan® HANDCRAFTED · Bona® · CE · floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score



SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty · Artisan® HANDCRAFTED · Bona® · CE · floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score

SPECIFICATIONS:

Width	190/240/290mm 7 ½”/9 ½”/11 ½”
Length	1820/2130/2450mm 72”/84”/96”
Thickness	14.2mm or 22mm 9/16” or 7/8”
Installation Type	Tongue & Groove or Tuff Loc

25 YEARS Limited Residential Warranty

Artisan® HANDCRAFTED

Bona®

CE

floor score



Our Engineered wood floors are of the highest quality which are finished with either UV lacquer or UV Oil as well as being formaldehyde free. We recommend regular maintenance to protect and to preserve the surface.

Any moisture spillage should be immediately cleaned with a dry cloth. Do not allow any moisture to pool on the surface, as this will cause damage to the floor.

Daily cleaning should be done with a vacuum cleaner (with felt pads fitted to avoid scratching), a static mop or a smooth broom. Any sand, dirt or grit should be immediately removed as it causes scratches and damages the floor's surface.

Whenever necessary, the floor surface can also be cleaned with a damp mop or a special polish to remove any stains or grease.

It is highly recommended to place felt pads under furniture or chairs to protect the floor surface.

Additional lacquering is not recommended for any ready-made finished engineered floors.

We recommend that the floor be recoated with an oil refresher product (WOCA or Bona) every 3 to 6 months depending on the condition of the floor.

Wood is also affected by UV light and will change in colour when exposed for long durations. Carpets or rugs should not be placed on the floor immediately after installation allow for a few weeks.

COMPLIANCE & CERTIFICATION

Our products have been tested and certified by international bodies:

- VOC “Emissions Dans L’air Interieur” - France
- The California CARB Phase2 Compliant - USA
- SVLK/FLEGT Certified - Indonesia
- FloorScore

COATINGS

- Bona
- Klumpp

ADHESIVES

- AkzoNobel

INSTALLATION

- VALINGE 5G
- Tongue & Groove

After Oak
Collection



Antique
Collection



Colors
Collection

Lifestyle
Collection

Baroque
Collection

Our Lifestyle Collection of engineered hardwood flooring is made from Western European Oak, and offers one of our widest colour selections. Unique finishing techniques, colour enhancement processes and hand-crafted smooth, brushed or distressed finishes ensures a floor to suit every room and décor.



Printed material in this catalogue is provided as a reference only. Colour and wood characteristics may vary from actual product.

All images and information in this brochure is copyrighted. Any form of reproduction is a violation of copyright law and is strictly prohibited. You may not distribute, modify, transmit, reuse, repost, or use the content of this book for public or commercial purposes, including the text and images, without written permission.

© 2018 Forestry Timber Export Sdn Bhd & Forestry Timber Resources Sdn Bhd

WOODLINE PARQUETRY

www.forestrytimber.com

Collection